Hiller Ford Inc. www.hillerford.com

Index of Key Features

2007 Escape

What's New / 2 **What's Important** / 3 **Model Lineup** / 4 - 5

Purchase Motivators	Reference
Comfort/Convenience / 6 - 9	**Audio** / 19
Performance/Handling / 10 - 11	**Wheels** / 20
Design/Styling / 12 - 13	**Seats/Instrument Cluster** / 21
Safety/Security / 14 - 16	**Dimensions and Specifications** / 22 - 32
Quality/Reliability/Durability / 17 - 18	**Accessories** / 33 - 34

5-passenger Seating / 6
60/40 Split Rear Seatbacks / 6, 7
100,000-mile Scheduled Tune-up Interval / 17, 18
Accessories / 33, 34
Accessory Delay Feature / 8
Airbag Supplemental Restraint System (SRS), Dual-stage Driver and Right Front Passenger / 16
Assist Handles / 9
Audio / 6, 9, 19
- Premium AM/FM Stereo/Single-disc CD Player
- Premium AM/FM Stereo/6-disc In-dash CD Changer
- 320-watt Audiophile System with Premium AM/FM Stereo/6-disc In-dash CD Changer
- SIRIUS Satellite Radio

Auto Headlamp Off / 8
Battery Saver / 15
Belt-Minder® System / 15
Black Step Bars / 12
Body Structure / 13
Bumpers / 13
Cabin Air Filter / 6
Cargo Area / 7
Cargo Floor Hooks / 9
Center Rear Head Restraint / 6
Climate Control System / 6
Colors, Exterior and Interior / 13
Cruise Control / 8
Engines / 10
- Duratec 23 - 2.3L I-4, Duratec 30 - 3.0L DOHC V-6

Electronic Brake Force Distribution (EBD) / 14
Electronic Engine Controls / 17, 18
Engineering Insight / 7, 17
- A Mom-to-be's Perspective
- Color Check
- Parking Lot Spies
- Worldwide Testing Helps Ensure Quality, Reliability and Durability

Exterior Design / 12, 13
Flip-up Rear Glass and Liftgate / 12, 13
Flow-through Floor Console / 8
Four-wheel Anti-lock Braking System (ABS) / 14
Four-wheel Disc Brakes / 14
Four-wheel Independent Suspension / 11
Front Adjustable Safety Belt D-rings / 9
Front and Rear Fascias / 12
Front Passenger Sensing System (FPSS) / 16
Front-wheel Drive / 11
Fuel Pump Inertia Shutoff Switch / 15
Fuel Tank / 11
"Green" Vehicle Features / 10
Illuminated Entry System / 15
Instrument Cluster / 21
Instrument Panel / 6, 7
Intelligent 4WD System / 11
Interior Quietness / 17
Interior Volume / 6, 7, 12
Lower Anchors and Tethers for CHildren (LATCH) / 14
Message Center / 6
New Vehicle Limited Warranty / 17, 18
Overhead Consoles / 8
Packages/Groups
- Cargo Convenience Group / 6, 8, 9
- Convenience Group / 8
- Leather Comfort Group / 8
- Limited Luxury Comfort Package / 8
- Safety Package / 14, 16
- Sun and Sound Discount Package / 8
- Trailer Towing Package, Class II / 22
- XLT Appearance Package / 13

Personal Safety System® / 16
Power Features / 8
Powertrain Combinations / 10
Rear-door Child Safety Locks / 15
Reclining Front Seatbacks / 6
Remote Keyless Entry System / 15
Removable Rear-seat Cushion / 9
Roadside Assistance / 18
Safety Belts / 16
"Safety Cell" Construction / 16
Seating / 6, 7, 8, 9, 15, 21
SecuriLock® Passive Anti-theft System / 14
Serviceability / 18
Side Door Intrusion Beams / 14
Spare Wheel and Tire, Compact / 11
Steering, Rack-and-pinion / 11
Storage / 7, 8
Suspension, Front and Rear / 11
Theater Lighting / 15
Tilt Steering Column / 7
Tire Pressure Monitoring System (TPMS) / 14
Towing Capacity / 11, 22, 24
Transmissions / 10
Unibody Construction / 12, 13, 14
Wheels and Tires / 11, 20

2007 Escape

This page is about:

- Overview
- Interior Changes
- Exterior Changes
- Selected Package Details
- Key Competitors

What's New

Overview

ESCAPE

- Compact SUV offers something for everyone
- Available Intelligent 4WD System automatically engages as needed without driver interaction
- Available Safety Package with Safety Canopy™ side air curtain and front-seat side airbags offers driver and passenger the best possible protection
- New colors and modified trim packages allow the customer to custom build his or her Escape

Interior Changes

- All audio systems are MP3 readable and satellite ready radio capable

Exterior Changes

- XLT Sport has monochromatic appearance
  - Painted body-color A-gloss lower bodyside claddings, bumpers and wheellip moldings
- XLT Appearance Package includes:
  - A-gloss Silver Metallic painted fascias, bodyside cladding and wheellip moldings
  - Black door handles and liftgate garnish
- Colors added:
  - Dune Pearl Clearcoat Metallic (ND) — available on XLS Manual, XLS, XLT, XLT Sport and Limited
  - Tungsten Grey Clearcoat Metallic (T8) — available on XLS Manual, XLS, XLT, XLT Sport and Limited
  - Vista Blue Clearcoat Metallic (G9) — available on XLS Manual, XLS and XLT
- Colors deleted:
  - Dark Shadow Grey Clearcoat Metallic (CX)
  - Sonic Blue Clearcoat Metallic (SN)
  - Titanium Green Clearcoat Metallic (DV) — no longer available on Limited series

Selected Package Details

- Sun and Sound Discount Package includes:
  - Audiophile 6-disc in-dash sound system and power moonroof
  - Package is indicated on window label/invoice on select XLT and XLT Sport Escapes only
  - Priced the same as the optional Audiophile sound system alone

Key Competitors

- **Jeep Liberty** — brand image of practical, versatile, affordable, rugged fun; an American classic
- **Chevy Equinox** — brand image of sporty, playful, well-designed and versatile
- **Honda CR-V** — brand image of fun, versatility, comfort, convenience and sophistication
- **Hyundai Santa Fe/Tucson** — marketed as exceptionally well-equipped and backed by America's best warranty
- **Toyota RAV4** — totally redesigned for the 2006 model year. "The all-new 2006 RAV4 can handle anything"

NOTE: What's new: Latest Dealer Ordering Guide.

2007 Escape
What's Important

WHAT'S IMPORTANT

This page is about:

Product Highlights
Other Key Features

Product Highlights

HERE ARE THE MOST IMPORTANT 2007 ESCAPE FEATURES TO MENTION TO YOUR CUSTOMERS:

Seating for 5 adults with outstanding cargo flexibility
(pg. 6)

Choice of Duratec 23 - 2.3L I-4 or Duratec 30 - 3.0L V-6 engines
(pg. 10)

Personal Safety System® and Safety Package with Safety Canopy™ System
(pg. 16)

Intelligent 4WD System
(pg. 11)

Four-wheel independent suspension
(pg. 11)

Four-wheel Anti-lock Braking System (ABS)
(pg. 14)

Other Key Features

Comfort/Convenience

- Seating for 5 adults with outstanding cargo flexibility
- 60/40 split rear seatbacks with tip-fold-flat latch and adjustable head restraints
- Cargo Convenience Group for extra storage capability
- Flow-through floor console with large, deep cup holders, front storage bin and 1 power point
- Heated driver and front passenger seats
- AM/FM stereo/single-disc CD player/clock, 4 speakers (MP3 readable and satellite ready radio capable)
- AM/FM stereo/6-disc in-dash CD changer, 4 speakers (MP3 readable and satellite ready radio capable)
- Heated sideview mirrors

Performance/Handling

- Choice of Duratec 23 - 2.3L I-4 or Duratec 30 - 3.0L V-6 engines
- Front-wheel drive
- Intelligent 4WD System
- Four-wheel independent suspension
- Class II Trailer Towing Package available with V-6 engine (3500-lb. maximum towing)(1)
- XLS Manual can be neutral towed

Design/Styling

- Unibody construction
- Rear liftgate with flip-up glass
- 15- and 16-inch wheels and tires
- XLT Sport and Limited series for refined monochromatic look

Safety/Security

- Personal Safety System® and Safety Package with Safety Canopy™ System
- Four-wheel Anti-lock Braking System (ABS)
- LATCH feature (Lower Anchors and Tethers for CHildren)
- Remote Keyless Entry System

Quality/Reliability/Durability

- Easy access to key components under the hood
- Worldwide testing
- 100,000-mile scheduled tune-up interval
- New Vehicle Limited Warranty and Ford Roadside Assistance Program

(1) Properly equipped.
NOTE: Feature availability: Latest Dealer Ordering Guide.

This page is about:

- Standard Equipment
- Optional Equipment

2007 Escape

Model Lineup

Standard Equipment

Comfort/Convenience

- Accessory delay for power windows
- Air conditioning, manual
- Assist handles, 1st row (2)
- Assist handles w/coat hooks, 2nd row (2) (NA with 85S Safety Package)
- Cargo floor hooks (4)
- Center dome lamp w/map lights (map lights NA w/optional 43M Moonroof)
- Center horn pad on steering wheel
- Door locks, power
- Floor console, 2 cup holders & storage bin
- Front seats — low-back bucket seats w/adjustable head restraints
- Interior lights off delay
- Power point (1) with cap, in floor console
- Rear cargo area light
- Rear floor heat ducts
- Rear seat — 60/40 split seat w/tip-fold-flat latch, & adjustable head restraints
- Removable rear seat cushion
- Remote keyless entry w/2 key fobs
- Sideview mirrors, power-adjust w/manual fold feature, Molded-in-color, black
- Solar tinted glass (on door glass & liftgate)
- Tilt steering wheel
- White-faced instrument cluster, instrument panel warning signals
- Windows, power w/one-touch-down driver side feature

Performance/Handling

- 4-Wheel independent suspension
- 16.5 gallon fuel tank
- Power rack-and-pinion steering

Design/Styling

- All clearcoat paint
- Black surround grille with black mesh center
- Clear lens headlamps, 3-color taillamps, center high mount brake light
- Wheelbase (103.2")

Safety/Security

- Anti-lock Braking System (ABS)
- Battery Saver w/headlamp off delay
- Belt-Minder®
- Child safety locks (rear doors)
- Dot matrix windshield pattern
- Driver and front passenger seats — safety belt pretensioners & height adjustable D-rings
- LATCH (Lower Anchors & Tethers for CHildren) system on rear outboard seat locations
- Locking glove box
- Mini Size spare wheel & tire (underbody mounted)
- Personal Safety System® — includes new dual-stage airbag system for driver and front passenger seating positions, & adds new Front Passenger Sensor System to the passenger seat
- Rear-window defroster
- Safety belt restraint system: manual 3-point shoulder & lap safety belt system and headrest on all seating positions, including rear center seating position
- SecuriLock® passive anti-theft system
- Side door intrusion beams
- Tire Pressure Monitoring System (TPMS)
- Wheel nut wrench & jack
- Wipers & washers — front variable intermittent/low/high and rear 2 speed

Quality/Reliability/Durability

- 100,000-mile tune-up interval
- Unibody construction

NOTE: The above information is an excerpt from pages 3 and 4 of the 5/01/06 Escape Dealer Ordering Guide.
Latest Dealer Ordering Guide: **fmcdealer.com**

Optional Equipment

		XLS Manual	XLS	XLT	XLT Sport	Limited
Comfort/Convenience						
Audio:						
Audiophile (320-watt) 6-Disc In-Dash, 7 Speakers (MP3 & satellite capable)		—	—	O	O	O/P
Cargo Convenience Group		O	O	O	O	O
Convenience Group		O	O	S	S	S
Leather Comfort Group		—	—	O	—	S
License Plate Bracket		O	O	O	O	O
Limited Luxury Comfort Package		—	—	—	—	O
Moonroof, Power w/Shade & Mini Overhead Console (incl. single storage bin and map lights)		—	—	O	O	O
Seats:						
Front & Rear Leather Trimmed w/Map Pockets (driver & passenger), 6-Way Power Driver Seat		—	—	P	—	S
Performance/Handling						
FWD (Front Wheel Drive)	Body Code	U02	U02	U03	U03	U04
Duratec 23 - 2.3L I-4 Engine	Order Code	100A	120A	305A	—	—
Duratec 30 - 3.0L V-6 Engine	Order Code	—	—	310A	330A	500A
Intelligent 4WD System (4-Wheel Drive)	Body Code	U92	U92	U93	U93	U94
Duratec 23 - 2.3L I-4 Engine	Order Code	200A	220A	405A	—	—
Duratec 30 - 3.0L V-6 Engine	Order Code	—	—	400A	410A	600A
Full Size Spare Wheel & Tire — nonmatching, temporary		—	—	O	O	O
P235/70Rx16 A/S OWL Tire		—	—	O(1)/S(2)	S	—
Trailer Towing, Class II		—	—	O (V-6)	O	O
Design/Styling						
15" Aluminum Wheels		O	O	—	—	—
Roof Rack w/Horizontal Bars		O	O	S	S	S
Side Step Bars (req. 15" Aluminum Wheels on XLS)		O	O	O	S	—
XLT Appearance Package		—	—	O (V-6)	—	—
Safety/Security						
Safety Package		O	O	O	O	O

S = Standard O = Optional P = Packaged Option — = Not Available

NOTE: The above information is an excerpt from page 6 of the 5/01/06 Escape Dealer Ordering Guide.
Restriction information and Latest Dealer Ordering Guide: **fmcdealer.com**

(1) FWD. (2) 4WD only.

2007 Escape
Model Lineup

Major Product Summary

The chart below highlights the key model features that you may want to share with your customers.

XLS Manual

Comfort/Convenience
- Air conditioning, manual
- AM/FM single CD w/clock, 4 speakers (MP3 & satellite capable)
- Assist handles, 1st row (2)
- Assist handles with coat hooks, 2nd row (2) (NA with Safety Package 85S)
- Cargo floor hooks (4)
- Center dome w/map lights & rear cargo area light
- Floor console w/2 cup holders & storage bin
- Front seats — low back buckets, cloth: manual 2-way driver seat adjustment
- Power Group Standard — includes power windows, locks, mirrors & keyless entry w/2 fobs
- Power point (1) w/cap
- Rear seat — 60/40 split seat w/tip-fold-flat latch, cloth
- Visors, cloth driver & passenger w/dual covered vanity mirrors

Performance/Handling
- Duratec 23 - 2.3L I-4 engine
- 5-speed manual transmission
- Intelligent 4WD System on 4WD equipped vehicles
- P225/75R15 A/S BSW tires

Design/Styling
- 15-inch styled steel wheels
- Black roof side rails
- Molded-in-color grey front and rear fascias, bodyside cladding

Safety/Security
- Airbags, dual-stage driver & front passenger
- Anti-lock Braking System (ABS)
- Battery Saver feature
- Head restraints and 3-point seat belts on all 5 seating positions
- Illuminated entry
- LATCH (Lower Anchors & Tethers for CHildren) System in rear outboard seats
- Locking glove box
- Personal Safety System®
- SecuriLock® passive anti-theft system
- Spare tire, mini
- Tire Pressure Monitoring System (TPMS)
- Wheel nut wrench & jack

XLS — *All XLS Manual content, plus:*

Performance/Handling
- 4-Speed automatic O/D transmission

XLT — *All XLS content, plus:*

Comfort/Convenience
- AM/FM 6-disc in-dash CD player
- Floor mats, color keyed carpeted front & rear w/driver retention hook
- Front seats — low back buckets, premium cloth
- Power 4-wheel disc brakes on V-6 4WD
- Power 6-way driver seat
- Privacy glass
- Rear seat — 60/40 split seat w/tip-fold-flat latch, premium cloth
- Steering-wheel-mounted cruise control

Performance/Handling
- Optional Duratec 30 - 3.0L DOHC V6 engine
- P235/70R16 A/S BSW tires (OWL std. on 4WD)

Design/Styling
- 16-inch, 5-spoke cast aluminum wheels
- Front fog lamps
- Roof rack with 2 horizontal bars

Safety/Security
- Perimeter alarm

XLT Sport — *All XLT content, plus:*

Performance/Handling
- Duratec 30 - 3.0L V-6 engine
- P235/70R16 A/S OWL tires

Design/Styling
- 16-inch bright machined aluminum wheels
- Black step bars
- Door trim with unique cloth
- Keyless entry keypad
- Black door handles and liftgate molding
- Monochromatic appearance (body-color A-gloss fascias, bodyside cladding and wheellip moldings)
- Unique cloth seats

Limited — *All XLT content, plus:*

Comfort/Convenience
- Auto-dimming rearview mirror
- Automatic headlamps
- Dual illuminated vanity mirrors
- Front seats — low back buckets, premium leather
- Keyless entry keypad
- Message center with compass display
- Overhead console w/dual storage bins (NA w/43M moonroof)
- Rear — 60/40 split seat w/tip-fold-flat latch, premium leather

Performance/Handling
- P235/70R16 A/S BSW tires

Design/Styling
- 16-inch bright machined aluminum wheels
- Monochromatic appearance includes A-Gloss door handles, liftgate molding, fascia and bodyside cladding

NOTE: The above information is an excerpt from page 2 of the 5/01/06 Escape Dealer Ordering Guide.
Latest Dealer Ordering Guide: **fmcdealer.com**

This page is about:

- Seating for 5 Adults
- Reclining Front Seatbacks
- 60/40 Split Rear Seatbacks
- Center Rear Head Restraint
- Message Center
- Large Interior Volume

2007 Escape
Comfort/Convenience

Key Features

Comfort/Convenience	
ESCAPE	• Engineered storage to provide room for a variety of large objects (66.3 cubic feet behind first row with second-row seats folded flat and rear-seat cushion removed) • Tilt steering column • Instrument panel engineered to improve readability at dusk and other low-light conditions • Seating for 5 adults with 3-point lap/shoulder safety belts in all positions

Seating for 5 Adults — with an adjustable rear seat for greater comfort and storage flexibility.

Reclining Front Seatbacks — dual reclining front seats for driver and passenger help keep occupants comfortable.

60/40 Split Rear Seatbacks
- Rear seat cushion can be removed for additional storage
- Seats can be folded flat

Center Rear Head Restraint — provides additional comfort and safety for the center rear-seat passenger.

Message Center — with oil-change reminder, average fuel economy and warning lights, including low fuel, 4WD system status and lamp-out indicator. Includes compass.





Large Interior Volume — 128.5 cubic feet of interior space, providing plenty of room for passengers and cargo.

6-disc in-dash CD changer — convenient loading for up to 6 CDs.

Climate Control System — high fan motor output produces excellent airflow volume for passenger comfort.

Cabin Air Filter — traps pollen and dust particles — over 90 percent of all particulates larger than 3 microns.

Instrument Panel — features easy-to-read Warm Steel-color frames and white-faced gauges. Includes message center on Limited.

Cargo Convenience Group
- Rear cargo area retractable cover
- Rear cargo area storage bin
- Provides added safety, security and cargo-carrying capacity

NOTE: Feature availability: Latest Dealer Ordering Guide.

2007 Escape
Comfort/Convenience

This page is about:

Cargo Area
Interior Volume
60/40 Split Rear Seatbacks
Cargo Space
Engineering Insights

Interior Specifics

Cargo Area

- 29.3 cubic feet of cargo capacity behind second row, 62.8 cubic feet of cargo capacity behind first row, with 66.3 cubic feet behind first row with second-row seats folded flat and rear-seat cushion removed
- Flat loadfloor adds to maximized cargo-carrying versatility
- Removable rear-seat cushion adds extra cargo space
- 4 cargo hooks
- Cargo Convenience Group
- Coat hook

Interior Volume

- 128.5 cubic feet total volume
- Surprisingly spacious, with seating for 5 adults
- Cargo storage bin has nearly 1.5 cubic feet of additional space (part of Cargo Convenience Group)

60/40 Split Rear Seatbacks

- Enhance interior versatility
- Allow flexibility for passengers and cargo
- Easy to operate
- Unique center head restraint
- 3-point lap/shoulder safety belt in all three seating positions

Presentation Tip: Cargo Space

Ask your customers about their recreational activities. Whether they enjoy camping or woodworking or anything else, show them how Escape can handle some of the typical supplies they might need to put in their vehicle. Consider having real props on hand to make it even more memorable. Demonstrate how the rear seat folds flat and how the seat cushion can even be removed. All this makes Escape the kind of SUV that transcends typical size-based parameters and, instead, offers smartly designed solutions.

Engineering Insights

Parking Lot Spies

Escape's interior **storage** is carefully thought out. The Escape team actually "spied" on people in parking lots to see how they used the cargo areas of their vehicles — especially those driving competitive models in the small SUV segment. The team noticed people trying to fit everything from surfboards to big-screen televisions into vehicles that weren't equipped to handle a variety of items. Then they went to work to create a vehicle that could.

A Mom-to-be's Perspective

Escape's **tilt steering column** is standard — some make this an optional feature. During the development phase, one of the Escape engineers was pregnant. She started paying particular attention to vehicle elements that could become a hindrance to her. The whole design team saw the benefit of a feature (like tilt steering) that anticipated the changing needs of young owners.

Color Check

When developing the **instrument panel design**, engineers tested the white background at various times of the day and in all lighting conditions. The result? Black accent lines and green lights were incorporated to improve readability at dusk and other low-light conditions.

This page is about:

- More Comfort/Convenience Specifics
- Cruise Control
- Overhead Consoles
- Storage
- Flow-through Floor Console
- Power Features

2007 Escape
Comfort/Convenience

More Comfort/Convenience Specifics

The thinking that went into Escape's comfort and convenience also resulted in features that many customers will associate with higher-priced vehicles.

- **Accessory Delay Feature** — lets occupants use the stereo, power windows and power moonroof after the ignition is turned off and before a door is opened. It provides power for up to 10 minutes
- **Auto Headlamp Off** — turns the headlamps off after a fixed time in order to save battery power

Convenience Group
- Perimeter alarm
- Front and rear color-keyed carpeted floor mats with driver retention hook
- Steering-wheel-mounted cruise control

Leather Comfort Group
- Leather-wrapped steering wheel
- Leather-trimmed seating surfaces

Limited Luxury Comfort Package
- Audiophile 6-disc in-dash CD/MP3 and satellite capable changer with automatic volume control and 7 speakers including a subwoofer
- Reverse Sensing System
- Heated sideview mirrors
- Heated driver and front passenger seats

Cargo Convenience Group
- Cargo area retractable cover
- Covered cargo area in-floor storage bin

Sun and Sound Discount Package

Includes the optional power moonroof and the optional 320-watt Audiophile sound system with 6-disc in-dash CD changer together at a discount. Available on XLT and XLT Sport, the Sun and Sound Discount Package is priced the same as the optional Audiophile sound system alone.

Presentation Tip: Cruise Control

Point out the cruise control feature to customers — it lets them adjust their speed as conditions warrant without having to turn the cruise control system off and then back on.

Spotlight on Features

Cruise Control
- Tap-up/tap-down feature
- Increase/decrease speed in 1-mph increments

Overhead Consoles
- Dual storage bins for sunglasses/garage door opener
- Moonroof mini console includes storage bin and map lights

Storage
- Storage space in the front doors, instrument panel and cargo area provides room for small items

Flow-through Floor Console
- Cup holders are large and deep with removable inserts to accommodate a larger variety of sizes
- Includes front storage bin and 12-volt auxiliary power point

Power Features
- All Escape models have power windows, locks, mirrors and Remote Keyless Entry System
- Front driver and passenger window and lock switches are backlit for easy operation

NOTE: Feature availability: Latest Dealer Ordering Guide.

2007 Escape
Comfort/Convenience

This page is about:

Assist Handles
Cargo Convenience Group
Safety Belt D-rings
Removable Rear-seat Cushion
Cargo Floor Hooks
Spotlight on Seating and Audio

Often Overlooked Features

Feature	Benefit
Assist Handles	Two front and two rear assist handles for easy entry and exit (rear assist handles not available with Safety Canopy™ System)
Cargo Convenience Group	Includes a retractable cargo area cover and rear cargo storage bin beneath the rear cargo loadfloor for added safety, security and cargo-carrying capability
Front Adjustable Safety Belt D-rings	Provide safety belt comfort for various size occupants
Removable Rear-seat Cushion	Added cargo-carrying flexibility
Cargo Floor Hooks (4)	Provide tie-down points to help secure cargo

Spotlight on Seating and Audio

Seating Choices

- **XLS Manual, XLS** — cloth low-back dual reclining bucket seats with adjustable head restraints, manual 2-way driver seat adjustment and cloth 60/40 split rear seat
- **XLT** — low-back dual reclining bucket seats with premium cloth and adjustable head restraints, seatback map pockets and 6-way power driver's seat. Premium cloth 60/40 split rear seat (leather-trimmed seating available)
- **XLT Sport** — low-back dual reclining bucket seats with unique cloth seats and door trim, seatback map pockets and 6-way power driver's seat. Unique cloth 60/40 split rear seat
- **Limited** — premium leather-trimmed low-back dual reclining bucket seats with adjustable head restraints, seatback map pockets and 6-way power driver's seat. Premium leather-trimmed 60/40 split rear seat

Audio System Choices

All audio systems are MP3 readable and satellite ready radio capable.

- **XLS Manual, XLS** — premium AM/FM stereo/single-disc CD player, 60 watts of power, 4 premium speakers, digital clock, full electronic tuning with Seek
- **XLT, XLT Sport and Limited** — premium AM/FM stereo/6-disc in-dash CD changer, 80 watts of power, digital clock, full electronic tuning with Seek, 4 premium speakers
- **XLT, XLT Sport and Limited** — 320-watt Audiophile sound system with premium AM/FM stereo/6-disc in-dash CD changer, 90-watt woofer output channel, equalized output, Radio Data System (RDS), digital clock, full electronic tuning with Seek, 7 speakers including 8-inch subwoofer and 2 tweeters
  - Includes automatic volume control when ordered as part of Limited Luxury Comfort Package

Presentation Tip: Audio

Be sure to show your customers how the controls work on various audio systems. Let them try out features such as Seek and Scan, and the CD player controls. Keep a variety of CDs on hand just for this.

NOTE: Feature availability: Latest Dealer Ordering Guide.

This page is about:

- Engines
- Four-valve Technology
- "Green" Vehicle Features
- EPA Fuel Economy
- Powertrain Combinations

2007 Escape
Performance/Handling

Key Features

Performance/Handling	
ESCAPE	• Both available Escape engines use Dual Overhead Camshafts and 4-valve technology for smooth, powerful operation • This design improves the flow of air/fuel mixture into and exhaust gas out of the engine, resulting in increased horsepower and torque compared to overhead valve engines of similar size • Both the Duratec 23 - 2.3L I-4 and the Duratec 30 - 3.0L V-6 engines meet LEV II emissions standards

Powertrain Specifics

Duratec 23 - 2.3L I-4 Engine

- Delivers 153 horsepower and 152 lb.-ft. of torque
- Mated to a 4-speed automatic transmission on XLS and XLT
- Mated to a 5-speed manual transmission on XLS Manual

Duratec 30 - 3.0L DOHC V-6 Engine

- Provides more power than most overhead valve engines of comparable size
- DOHC technology
- 200 horsepower @ 6000 rpm

Four-valve Technology

- Both engines use two intake and two exhaust valves per cylinder
- This design improves the flow of the air/fuel mixture into the engine and the flow of exhaust gas out of the engine, resulting in increased horsepower and torque compared to overhead valve engines of similar size

"Green" Vehicle Features

- Both the Duratec 23 - 2.3L I-4 and the Duratec 30 - 3.0L V-6 engines meet California LEV II or federal Tier 2 Bin 5 emissions standards. Manual transmission on 2.3L meets California ULEV II standards
- Both engines use an electrical vapor management system that reduces evaporation of fuel into the air
- Both engines have a catalytic converter that needs less precious metal and helps reduce emissions

EPA Fuel Economy

Powertrain	City/Hwy. (mpg)
Front-wheel Drive	
Duratec 23 - 2.3L I-4 with 5-speed manual	24/29
Duratec 23 - 2.3L I-4 with 4-speed automatic	23/26
Duratec 30 - 3.0L V-6 with 4-speed automatic	20/24
Four-wheel Drive	
Duratec 23 - 2.3L I-4 with 5-speed manual	22/27
Duratec 23 - 2.3L I-4 with 4-speed automatic	21/24
Duratec 30 - 3.0L V-6 with 4-speed automatic	19/23

Powertrain Combinations

Powertrain (Engine/Transmission)	Horsepower (SAE net @ rpm)	Torque (lb.-ft. @ rpm)
Duratec 23 - 2.3L I-4 5-speed Manual; 4-speed Automatic Overdrive	153 @ 5800	152 @ 4250
Duratec 30 - 3.0L DOHC V-6 4-speed Automatic Overdrive	200 @ 6000	193 @ 4850

2007 Escape
Performance/Handling

This page is about:

Intelligent 4WD System
Four-wheel Independent Suspension
Front and Rear Suspensions
Wheels
Tires
Front-wheel Drive

Intelligent 4WD System

Escape is in the small SUV segment and, along with Escape Hybrid, is the only traditional Ford SUV with front-wheel drive. Escape may be classified as small, but it has plenty of big ideas when it comes to performance. Key among them is the Intelligent 4WD System, which automatically sends power to the wheels with the most traction.

How It Works

- Always drives the front wheels and monitors vehicle and driving surface conditions, using signals such as individual wheel speeds and throttle position
- Monitors wheel speed 5000 times per second to maintain stability and traction
- Seamlessly sends power to the rear wheels as needed to control wheel slip or prevent it from occurring in the first place

Customer Benefits

- Does not need a driver-operated switch — works automatically
- Improved traction by automatically delivering torque to the wheels with the most traction
- Improved vehicle stability by reacting quickly to changes in road conditions

A Closer Look: The Ride

Four-wheel Independent Suspension

- Optimizes handling and steering feel for improved vehicle tracking and stability during braking
- Each wheel absorbs bumps independently
- Adds to nimble handling characteristics and smooth ride

Front Suspension

- Large diameter front struts and modified lower control arm bushings help isolate shock force for improved ride and comfort
- Precise steering due to low-friction stabilizer bar links
- Stabilizer bar helps reduce body lean in turns and adds to improved handling

Rear Suspension

- Double lateral link and semi-trailing arm design
- Long travel jounce bumpers help absorb harsh impacts
- Allows lower spring rates for a smooth ride
- Independent design helps maximize interior space

Wheels and Tires

Wheels

- 15 x 6.5-inch 5-spoke styled-steel wheels
- 15 x 6.5-inch 5-spoke cast aluminum wheels
- 16 x 7-inch 5-spoke cast aluminum wheels
- 16 x 7-inch 5-spoke bright machined cast aluminum wheels

Tires

- P225/75R15 BSW all-season tires — provide confident traction and handling in a variety of weather conditions
- P235/70R16 BSW all-season tires — offer a wider stance
- P235/70R16 OWL all-season tires

Spotlight on Features

Feature	Benefit
Front-wheel Drive	The only traditional Ford SUV (along with Escape Hybrid) with front-wheel drive. Driving force applied through front wheels; excellent handling, traction and control
Towing Capacity	Adds to Escape's versatility (1500-lb. maximum with Duratec 23 - 2.3L I-4; 3500-lb. maximum with Duratec 30 - 3.0L V-6 and optional Class II Trailer Towing Package)
Compact Spare Wheel and Tire[1]	Underbody mounted — doesn't interfere with cargo space or rear-window visibility
Rack-and-pinion Steering	Tight, responsive steering with low steering effort
Fuel Tank	16.5-gallon capacity for more cruising time between fill-ups

(1) Non-matching, temporary full-size spare tire and wheel optional on XLT, XLT Sport and Limited models.
NOTE: Feature availability: Latest Dealer Ordering Guide.

This page is about:

- Unibody Construction
- Exterior Styling
- Front and Rear Fascias
- Roomy, Comfortable Interior
- Black Step Bars
- Flip-up Rear Glass and Liftgate

2007 Escape
Design/Styling

Key Features

Design/Styling	
ESCAPE	• Escape combines genuine SUV characteristics and Ford SUV heritage in the "right amount of SUV" for many customers • Exterior and interior appearance, package, and technology are designed to maintain its leadership among small SUVs • New XLT Sport arrays include: painted body-color A-gloss lower bodyside cladding, bumpers and wheellip moldings for a monochromatic exterior appearance

Unibody Construction

- Lightweight and compact design that uses the body for structural stability
- Adds to more car-like ride and handling

Exterior Styling

- Round fog lamps
- Front and rear fascias
- Clear lens headlamps
- 15-inch aluminum wheels for XLS Manual and XLS; 16-inch aluminum wheels for XLT

Front and Rear Fascias

- Reinforce Escape's rugged-yet-refined design theme

Roomy, Comfortable Interior

- Escape's design makes the most of interior space, for comfortable seating for up to 5 adults with 99.2 cubic feet of passenger space (leather-trimmed interior shown)

Black Step Bars

- Add to Escape's rugged appearance and make getting into and out of Escape easier

Flip-up Rear Glass and Liftgate

- Give two ways to access the cargo compartment, depending on the customer's immediate needs

NOTE: Feature availability: Latest Dealer Ordering Guide.

2007 Escape
Design/Styling

This page is about:

Body Structure
Front and Rear Bumpers
Flip-up Rear Glass and Liftgate
Molded-in-color Exterior Trim
New XLT Appearance Package
Exterior and Interior Color Choices

Design/Styling Specifics

Body Structure

- Unibody design where the body structure and the frame are unitized to help maximize interior space
- Unibody creates a structural "cage" surrounding the passenger compartment
- The front-end structure directs crash energy away from occupants and into the vehicle structure
- Interior space is enhanced through the use of independent rear suspension

Front and Rear Bumpers

- Reinforce athletic profile
- Integrated front brush guards provide added vehicle protection
- Step-surface on rear bumper adds to customer convenience

Flip-up Rear Glass and Liftgate

- Increase Escape's functionality and convenience by offering two ways for customers to access the cargo area — through the flip-up glass for small items, or through the entire liftgate area for bulky items

Molded-in-color Exterior Trim

- Improves appearance with rugged, off-road-ready appearance

New XLT Appearance Package

- A-gloss Silver Metallic painted fascias, bodyside cladding and wheellip moldings
- Black door handles and liftgate garnish

Exterior and Interior Color Choices

Exterior Colors

- Black Clearcoat (UA)
- Blazing Copper Clearcoat Metallic (GW)
- Dark Stone Clearcoat Metallic (T7) (XLS Manual and XLS/XLT)
- Dune Pearl Clearcoat Metallic (ND)
- Oxford White Clearcoat (YZ)
- Red Fire Clearcoat Metallic (G2)
- Silver Clearcoat Metallic (YN)
- Titanium Green Clearcoat Metallic (DV)
- Tungsten Grey Clearcoat Metallic (T8)
- Vista Blue Clearcoat Metallic (G9)

Interior Colors

- Ebony Black
- Medium/Dark Flint
- Medium/Dark Pebble

This page is about:

- Lower Anchors and Tethers for CHildren (LATCH)
- SecuriLock® Passive Anti-theft System
- Unibody Construction with Crumple Zones
- Side Door Intrusion Beams
- Remote Keyless Entry System
- Tire Pressure Monitoring System (TPMS)

2007 Escape
Safety/Security

Key Features

Safety/Security	
ESCAPE	• NHTSA does not retest a vehicle for the new model year unless it has significant changes or additions in safety features or body structure. Because Escape hasn't changed significantly in those areas for 2007, the previous crash test results are expected to carry over to the new model • Learn more about crash test ratings in the 2007 Appendices Book under Safety • Escape has an impressive level of crash performance protection • Engineers used computer-aided engineering (CAE) to sculpt the body structure for enhanced passenger protection

Lower Anchors and Tethers for CHildren (LATCH) — help to secure a child safety seat. Tether straps are provided by child safety seat manufacturer.

SecuriLock® Passive Anti-theft System — designed to help prevent the engine from being started unless a coded key programmed to your vehicle is used.

Unibody Construction with Crumple Zones — integrates the frame and body into one structure for reduced weight and optimum passenger space.

Side Door Intrusion Beams — steel beams in the side doors add structural stability, absorb energy and help reduce passenger compartment intrusion in certain side impacts.

Remote Keyless Entry System — provides an added level of convenience and security for Escape customers.

Tire Pressure Monitoring System (TPMS) — monitors tire pressure and alerts drivers to low air pressure conditions.

Power Four-wheel Disc Brakes — resist brake fade and improve stopping distance in hard-braking situations (V-6 4WD models).

Four-wheel Anti-lock Braking System (ABS) — provides consistent stopping power, and excellent braking and steering control — even under hard-braking conditions.

Electronic Brake Force Distribution (EBD) — registers slip between the front and rear axle wheel speeds and controls the brake pressure levels accordingly to optimize brake performance under all driving conditions.

Lower Anchors and Tethers for CHildren (LATCH)

Power Four-wheel Disc Brakes



Four-wheel Anti-lock Braking System (ABS)

Safety Package
• Safety Package includes: – Safety Canopy™ System provides side-impact head and rollover protection for front- and second-row outboard passengers – Dual front-seat side-impact airbags provide additional protection for the front outboard occupants during certain side-impact collisions

2007 Escape
Safety/Security

This page is about:

Remote Keyless Entry System
SecuriLock® Passive Anti-theft System
Belt-Minder® System
Theater Lighting
Features and Benefits
Five-star Frontal and Side-impact Crash Test Ratings

Safety/Security Specifics

Remote Keyless Entry System

- User can choose to lock or unlock driver's door only or all doors
- Transmitter has a panic button; when pressed from up to 33 feet from vehicle, horn sounds and headlamps flash

SecuriLock® Passive Anti-theft System

- System is designed to help prevent the engine from being started unless a coded key programmed to the vehicle is used
- Uses specially coded key with 72 quadrillion possible codes to start vehicle
- System arms automatically when key is removed from ignition
- System disarms when the correctly coded key is reinserted into the ignition

Belt-Minder® System

- Reminds driver and front passenger to buckle up because the safety belt is the most important safety feature in the vehicle
- If driver or front passenger is unbuckled and the vehicle has reached a speed over 3 mph, the system sounds a chime and flashes a warning light on the instrument cluster

Theater Lighting

- Provides added convenience and security
- Brightly illuminates interior whenever door is opened
- When all doors are closed, the lights gradually dim

Spotlight on Features

Feature	Benefit
Illuminated Entry System	Illuminates Escape's interior when any door is opened for convenience and security
Rear-door Child Safety Locks	Prevent children from opening a rear door from inside
Battery Saver	Helps prevent battery power drainage by automatically turning off interior and cargo lights 40 minutes after the last door is closed and the ignition key remains off
Fuel Pump Inertia Shutoff Switch	Prevents fuel from being pumped to the engine in the event of a collision
Seat Design	Low-back seats with adjustable head restraints in all seating positions to help provide whiplash protection

Five-star Frontal and Side-impact Crash Test Ratings

- Escape earned a five-star frontal and a five-star side-impact crash test rating for the driver and right front passenger[1]
- Five stars is the highest rating in federal government crash tests
- A five-star rating indicates a 10 percent or less chance of serious injury in a frontal or side impact
- NHTSA does not retest a vehicle for the new model year unless it has significant changes or additions in safety features or body structure. Because Escape hasn't changed significantly in these areas for 2007, the previous crash test results are expected to carry over to the new model

A CLOSER LOOK: Front Crash Structure

Many in the industry doubted Escape's ability to achieve a high safety rating due to just 18 inches of crash space in the vehicle's design. The crash space is located between the front of the instrument panel and the back of the front bumper. Escape's front crash structure (specifically the front aprons) absorbs crash energy and helps pull it away from the front of the vehicle and away from the cabin. This design enhances the ability of the crash space to absorb crash energy.

(1) 2006 model year ratings. NHTSA does not retest a vehicle for the new model year unless it has significant changes or additions in safety features or body structure. Because Escape hasn't changed significantly in these areas for 2007, the previous crash test results are expected to carry over to the new model.

This page is about:

- Personal Safety System®
- "Safety Cell" Construction
- Safety Belts
- Safety Package

2007 Escape
Safety/Security

Occupant Protection Specifics

Personal Safety System®

Dual-stage Driver and Right Front Passenger Airbag Supplemental Restraint System (SRS)

- Able to deploy in the full-powered mode or with less pressure in the Stage 1 mode
- Multipoint crash-sensing system includes the Restraint Control Module which is linked to sensors on the front radiator support for frontal crashes and on the B- and C-pillars for side impacts
- The sensors help to determine crash severity early in a collision so that the correct airbag inflation pressure can be determined
- Driver's-seat position sensor monitors how close the driver's seat is in relation to the steering wheel — another factor in determining the airbag inflation pressure

Front Passenger Sensing System (FPSS)

- The front passenger seat includes the Front Passenger Sensing System (FPSS) to control airbag deployment
- The passenger-seat weight sensor turns the passenger airbag off if a small-statured person is in the seat or if it is empty

"Safety Cell" Construction

- Helps absorb impact energy before it reaches vehicle occupants
- Front-end structure with reinforced subframe to absorb energy
- Cross-vehicle beam has an additional mounting point for steering column and airbag
- Includes high-strength steel side door intrusion beams

Safety Belts

- Use latest technology to provide occupant protection
- Manual 3-point system at all 5 seating positions
- Front-seat safety belt pretensioners automatically tighten to more effectively restrain front outboard occupants in certain frontal collisions
- Front-seat energy management retractors gradually let the safety belts loosen if necessary — reducing the force of the belts on the occupant's chest and letting them move forward very slightly and into the airbags
- Front shoulder belt D-ring height adjuster for comfort

Safety Package

- Includes the Safety Canopy™ System which provides enhanced side-impact head protection and rollover protection for first- and second-row outboard occupants by deploying from the headliner in certain types of accidents
- A sensor monitors the vehicle's roll angle and roll rate. If the system determines that a rollover may be imminent, the Safety Canopy deploys and can remain inflated for several seconds, much longer than regular airbags
- The Safety Canopy can also be triggered in certain side impacts
- Also includes dual front side airbags that are mounted to the front seats and "move" with the occupant to provide better protection than side airbags that deploy from the door. These airbags provide added protection to the head and chest of front outboard occupants during certain side-impact collisions
- Provides 6 total airbags in the vehicle (including the airbags provided in the standard Personal Safety System)

2007 Escape

Quality/Reliability/Durability

This page is about:

100,000-mile Scheduled Tune-up Interval
New Vehicle Limited Warranty
Corrosion Protection
Electronic Engine Controls (EEC)
Interior Quietness

Key Features

Quality/Reliability/Durability	
ESCAPE	• Stylish and features quality, reliability and durability • 100,000-mile scheduled tune-up interval results in less time and money spent on routine tune-ups under normal driving conditions with regular fluid and filter changes • Extended lifetime service intervals for automatic transmission, and for rear-wheel power takeoff and rear differential (4WD models — 150,000 miles under normal driving conditions)

100,000-mile Scheduled Tune-up Interval — engine is designed to run for 100,000 miles before its first tune-up(1).

New Vehicle Limited Warranty — offers Bumper-to-Bumper coverage; no deductible.

Corrosion Protection — two-sided galvanized steel has outstanding corrosion resistance.

Electronic Engine Controls (EEC) — help engine deliver optimum efficiency, performance and emissions control.

Interior Quietness — a sound package at the dash and body panels includes additional door seals for less noise, vibration and harshness (NVH). Sound-insulating material is used extensively throughout the interior trim and carpet. Additionally, quiet tires and a tuned suspension result in wind and road noise levels that are among the lowest in the small SUV segment.

Engineering Insight

Worldwide Testing Helps Ensure Quality, Reliability and Durability

Escape has undergone rigorous testing in locations worldwide to examine specific aspects of the vehicle. "We tested brakes in the Grossglockner Mountains of the Swiss Alps and in Mexico," reports one Escape engineer. "There's a three-and-a-half-mile descent from Mexico City to Puerto Vallarta that requires almost constant brake use to stay on the road. We gave a few Escape SUVs to Las Vegas taxi companies. They're notoriously tough on transmissions and it gave us a good insight into Escape's durability. The Royal Canadian Mounted Police and the Denver Police Department also tested Escape in their high-altitude, high-demand environments."

(1) Under normal driving conditions with regular fluid and filter changes.

2007 Escape
Quality/Reliability/Durability

This page is about:

- Serviceability
- Corrosion Protection
- 100,000-mile Scheduled Tune-up Interval
- New Vehicle Limited Warranty
- EEC/OBD II
- Roadside Assistance

A Closer Look: Serviceability

- Well-designed engine bay with easy access to key components
- Frequently serviced points are coded in bright yellow or identified with lettering for easy identification
- See-through fluid reservoirs
- Extended lifetime service intervals for automatic transmission, and for rear-wheel power takeoff and rear differential (4WD models — 150,000 miles under normal driving conditions)
- Sectioned exhaust system for easy replacement, if necessary

Spotlight on Features

Feature	Benefit
Corrosion Protection	Major body panels of two-sided galvanized steel, wax spray applied to door inners and special chip-resistant primer applied on hood
100,000-mile Scheduled Tune-up Interval	Under normal driving conditions with regular fluid and filter changes, engine is designed to run up to 100,000 miles before its first tune-up
New Vehicle Limited Warranty	3-year/36,000-mile Bumper-to-Bumper coverage with no deductible and 5-year/unlimited-mileage Corrosion Perforation coverage[1]
Electronic Engine Controls (EEC)/OBD II	Ensures optimum engine efficiency, performance and emissions control; On-Board Diagnostics System (OBD II) enables service technicians to quickly and efficiently trace serviceability/maintenance problems

Quality/Reliability/Durability Specifics

Roadside Assistance

The Roadside Assistance program is available during the 3-year/36,000-mile Bumper-to-Bumper warranty period. It offers a number of features that include:

- Toll-free number operational 24 hours a day, every day — 1-800-241-FORD

Customers who call the toll-free number can request services to change a flat tire, jump-start a battery, unlock the vehicle, deliver fuel or tow the vehicle to the nearest Ford Motor Company dealership or the selling dealership if within 35 miles.

(1) 5-year/50,000-mile Safety Restraint coverage.

Premium AM/FM Stereo/Single-disc CD Player



- 60 watts of power (RMS)
- 4 speakers
- Automatic disc storage
- MP3 readable and satellite ready radio capable

Premium AM/FM Stereo/6-disc In-dash CD Changer



Includes or replaces features of premium AM/FM stereo/single-disc CD player plus:

- 80 watts
- 4 speakers
- RDS (Radio Data System) function
- Random shuffle across all CDs
- Selective eject/load capability
- MP3 readable and satellite ready radio capable

320-watt Audiophile System with Premium AM/FM Stereo/6-disc In-dash CD Changer



Includes or replaces features of premium AM/FM stereo/6-disc in-dash CD changer plus:

- 320 watts
- 7 speakers, including subwoofer and 2 tweeters
- RDS (Radio Data System) function
- Random shuffle across all CDs
- Selective eject/load capability
- Automatic volume control (Limited Luxury Comfort Package only)
- MP3 readable and satellite ready radio capable

SIRIUS Satellite Radio

- SIRIUS satellite ready radio capable with Satellite button (SAT) to activate the system, Text button (TEXT) to provide information about the artist and song title, and Category button (CAT) to scroll through a variety of format types
- Key benefits of SIRIUS Satellite Radio include:
  - 100 percent commercial-free music
  - Seamless coverage anywhere in the continental U.S. (not equipped to operate in Alaska or Hawaii)
  - 120 channels of the best commercial-free music, talk, news and information (65 music channels)
- Requires dealer-installed kit to activate service, which consists of antenna, Down Link Processor (DLP) and wire harness. Once the hardware is in place, the owner can apply for the SIRIUS satellite radio subscription service for a monthly fee
- Installation of the kit can be done through Visteon distribution centers — or dealerships have the option of installing the kits in-house. For more details on installation, please contact Visteon at (800) 367-3333
- More information on the service is available online at **sirius.com** or toll-free at (888) 539-SIRIUS (7474)

For More Audio Information

- Audio availability: Latest Dealer Ordering Guide
- Operating information: Vehicle Owner's Guide

This page is about:

- 15" Styled-steel
- 15" Aluminum
- 16" Aluminum
- 16" Bright Machined Aluminum

2007 Escape

Wheels

Wheel	XLS Manual	XLS	XLT	XLT Sport	Limited
15" Styled-steel Wheel	Standard on Order Codes 100A, 200A .	Standard on Order Codes 120A, 220A	—	—	—
15" Aluminum Wheel	Optional on Order Codes 100A, 200A	Optional on Order Codes 120A, 220A	—	—	—
16" Aluminum Wheel	—	—	Standard on Order Codes 305A, 310A, 400A, 405A	—	—
16" Bright Machined Aluminum Wheel	—	—	Standard on XLT Sport Fleet[1] Optional on XLT Fleet — 4WD only[1]	Standard on Order Codes 330A, 410A	Standard on Order Codes 500A, 600A

— = Not available

(1) Requires P235/70R16 all-terrain OWL tire.

NOTE: Wheel availability: Latest Dealer Ordering Guide.

2007 Escape
Seats/Instrument Cluster

Seats

Interior Trim Type and Color Selector **NOTE:** First character denotes type, second character denotes color.	Interior Colors Medium/ Dark Flint	Medium/ Dark Pebble	Ebony Black
XLS Manual/XLS Cloth Bucket Seats with 60/40 Split Rear Seat	W2	WH	
XLT Premium Cloth Bucket Seats with 60/40 Split Rear Seat Leather-trimmed Bucket Seats with 60/40 Split Rear Seat	A2 N2	AH NH	
XLT Sport Unique Cloth Bucket Seats with 60/40 Split Rear Seat	I2	IH	
Limited Premium Leather-trimmed Bucket Seats with 60/40 Split Rear Seat		CH	CB

NOTE: Please refer to the 2007 Color and Upholstery Book or the Specifications section of ***e*SourceBook** (**esourcebook.dealerconnection.com**) for illustrations of the available seating choices.

Instrument Cluster



1. Anti-lock Braking System indicator/warning light
2. Fasten safety belt indicator/warning light
3. Airbag readiness indicator/ warning light
4. Four-wheel Drive (4WD) system indicator(1)
5. Turn signal indicator
6. Tire pressure warning light
7. Tachometer
8. High-beam indicator
9. Speedometer
10. Cruise control indicator(1)
11. Brake system warning light/parking brake indicator
12. Overdrive off indicator
13. Check engine warning light
14. Oil pressure warning light
15. Battery voltage warning light
16. Fuel gauge
17. Automatic transmission gearshift indicator(1)/odometer/trip odometer
18. Low fuel warning light
19. Message center(1)
20. Loose fuel cap warning light
21. Door ajar indicator
22. Anti-theft light indicator
23. Engine coolant temperature gauge

(1) If equipped.

This page is about:

- Maximum GVWR
- Trailer Towing Applications
- Class II Trailer Towing Package Content

2007 Escape

GVWR, Towing and Powertrains

Maximum GVWR

Powertrain	Maximum GVWR (lbs.)(1)
Duratec 23 - 2.3L FWD Manual	4300
Duratec 23 - 2.3L 4WD Manual	4460
Duratec 23 - 2.3L FWD Automatic	4360
Duratec 23 - 2.3L 4WD Automatic	4520
Duratec 30 - 3.0L FWD Automatic	4500
Duratec 30 - 3.0L 4WD Automatic	4640

(1) Properly equipped.

Trailer Towing Applications

Engine	Axle Ratios	Maximum Trailer Weight (lbs.)
Duratec 23 - 2.3L SEFI I-4	All	1500
Duratec 30 - 3.0L SEFI V-6	All	2000 (without Class II Trailer Towing Package)
		3500 (with Class II Trailer Towing Package)

Class II Trailer Towing Package Content

Package includes:

- 4-pin Trailer Wiring Harness and 4-pin Connector
- Hitch Receiver (weight-carrying capacity — 3500 lbs.)
- Engine oil cooler
- For additional towing information, please refer to the 2007 RV & Trailer Towing Guide that was shipped with your 2007 Source Books or the vehicle Owner's Guide
- Escape is not recommended for snowplow applications

Maximum Allowable Weight (lbs.)
(Regular Production Options and Aftermarket Equipment)

Model	GVWR	2.3L DOHC I-4 Manual Transmission	2.3L DOHC I-4 Automatic Transmission	3.0L DOHC V-6
FWD	4300	212	—	—
	4360	—	199	—
	4500	—	—	291
4WD	4460	208	—	—
	4520	—	209	—
	4640	—	—	242

Total Actual Regular Production Option Content Weight
Cargo/Payload GVWR Worksheet

Option Weight	(Front/Total) (lbs.)
WHEELS:	
15 x 6.5" 5-Spoke Cast Aluminum	(-9.5/-19)
16 x 7" 5-Spoke Cast Aluminum	(-6/-12)
16 x 7" 5-Spoke Cast Alum Bright Machined	(-3.5/-7)
16 x 7" 5-Spoke Cast Alum Full Size Spare	(0/-1)
16 x 7" 5-Spoke Cast Alum Bright Machined Full Size Spare	(0/-2)
Dissimilar 16 x 6.5" Steel Full Size Spare	(-0.5/3)
TIRES:	
P215/70R16 BSW A-S	(-8.5/-17)
P235/70R16T BSW/OWL A-S	(5/10)
P235/70R16 OWL A-T	(4.5/9)
P235/70R16 BSW All-Season Full Size Spare	(-2/18)
P215/70R16 BSW A-S H-rated Full Size Spare	(-1/10)
OPTIONS:	
Air Curtain Restraint	(4/9)
Side Impact Package	(3/6)
Heated Seats	(2/6)
Power 6-Way Driver Seat Adjust	(7/14)
Leather Seating Surfaces	(2/5)
Shipping/Recovery Bracket	(-2/6)
Lowline Stereo/Cassette	(-2/-2)
7 Speaker Radio System	(0/14)
Automatic Headlamps	(1/1)
Front Fog Lamps	(5/5)
Side Repeater Lamps	(1/1)
Wheellip Molding	(3/4)
Running Boards	(12/29)
Locking Fuel Cap	(0/1)
Subtotal: Front/Total	____ /____

Option Weight	(Front/Total) (lbs.)
OPTIONS cont'd	
Roof Rack without Cross Bars	(-2/-5)
Heated Mirrors	(1/1)
Electrochromatic Rearview Mirror	(1/1)
Tilt/Slide Sun Roof	(13/36)
Perimeter Alarm	(0/1)
Immersion Heater — Engine	(1/1)
Reverse Sensing System	(0/2)
Less Air Conditioning	(-33/-34)
Overhead Console with Dual Storage Bins	(6/6)
Overhead Console with Single Storage Bin	(5/5)
Sunvisor, Single Drv Illum	(1/1)
Cargo Tray	(0/7)
Cargo Area Cover	(-1/7)
Cargo Net	(0/0.5)
Floor Mats — All Weather	(7/11)
Door Entry Keypad	(1/1)
Frt/RR Throw-in Mats	(3/5)
Leather-wrapped Steering Wheel	(1/1)
Message Center with Compass	(1/1)
Smokers Package	(1/1)
Cruise Control	(5/5)
Cargo Management System	(0/1)
Power Four-wheel Disc Brakes	(11/19)
Class II Trailer Tow Prep with Hitch	(-6/18)
Subtotal: Front/Total	____/____
Subtotal: From 1st Col.	____/____
Line A: Total Actual Option Content/Weight:	____/____

NOTE: Refer to the Payload Workbook section of the 2007 Appendices book.

This page is about:

— Hitch Receiver Weight Capacity
— Recreational Neutral Towing

2007 Escape

GVWR, Towing and Powertrains

Hitch Receiver Weight Capacity

Vehicle	Weight-carrying Capacity (lbs.)(1)	Max. Tongue Load (lbs.)	Weight-distributing Capacity (lbs.)	Max. Tongue Load (lbs.)
Hitch Receiver:				
Escape	3500	300	—	—

(1) Ford hitch receivers do not include a hitch ball. The vehicle owner is responsible for obtaining the proper hitch ball, ball mounting and other appropriate equipment to tow both the trailer and its cargo load.

Recreational Neutral Towing

Ford Vehicle	Can It Be Neutral Towed?
Escape	
2.3L FWD/4WD Manual Transmission	Yes
2.3L FWD/4WD Automatic Transmission	No
3.0L FWD/4WD Automatic Transmission	No

NOTE: Additional towing information: 2007 RV & Trailer Towing Guide shipped with 2007 Source Books, or the vehicle Owner's Guide.

2007 Escape

Dimensions



DIMENSIONS

Wheelbase (in.)		103.2
Code	Description	Inches
A	Head Room (Front Row)	40.4
	Head Room (Second Row)	39.2
B	Leg Room (Front Row)	41.6
	Leg Room (Second Row)	35.6
C	Shoulder Room (Front Row)	56.3
	Shoulder Room (Second Row)	55.9
D	Hip Room (Front Row)	53.2
	Hip Room (Second Row)	49.1
E	Cargo Height, Maximum	37.3
F	Cargo Length Closed Second @ Floor	34.8
	Cargo Length Closed Front @ Floor (with cushion removed)	66.6
G	Cargo Width — Wheelhouse	40.8
I	Front Overhang	34.0
J	Rear Overhang	37.7
K	Overall Length	174.9
L	Vehicle Width Excluding Mirrors	70.1
M	Cargo Rear Opening Height	33.5
N	Rear Opening Width at Floor	43.2
O	Cargo Floor Height to Ground (Empty)(1)	29.9
P	Vehicle Height with Roof Rack (Empty)(1)	69.7
Q	Ground Clearance	8.2
R	Front/Rear Track	61.1/60.4
S	Angle of Approach	20.8°
T	Ramp Breakover Angle	20.8°
U	Angle of Departure	28.1°

(1) The height data shown represents dimensions of a nominal vehicle with no options. Actual height may vary due to production tolerances.

2007 Escape

Dimensions cont'd

FUEL TANK CAPACITY

Engine	Availability	Location	Capacity (gallons)
All	Standard Tank (Steel)	Midship	16.5 / 62L

VOLUMES

Cargo Volume	Cubic Feet
Behind Second Row	29.3
Behind First Row	62.8
Behind First Row (Second-Row Seat Cushion Removed)	66.3

BASE CURB WEIGHTS

Model	Engine	GVWR (lbs.)	Front (lbs.)	Rear (lbs.)	Total (lbs.)
FWD	2.3L I-4/Manual	4300	1858	1298	3156
	2.3L I-4/Auto	4360	1938	1290	3228
	3.0L V-6/Auto	4500	1991	1285	3276
4x4	2.3L I-4/Manual	4460	1904	1414	3318
	2.3L I-4/Auto	4520	1987	1390	3377
XLT/Limited	3.0L V-6/Auto	4640	2063	1400	3463

2007 Escape

Seating Capacity and Standard Equipment Specifications

ESCAPE (103.2″ WB)

DRIVE:		Front-wheel Drive		Four-wheel Drive	
GVWR: (lbs.)	— Computer Selected (Not Published in Advertising)	4300 (Manual Trans.)	4360, 4500 (Auto. Trans.)	4460 (Manual Trans.)	4520, 4640 (Auto. Trans.)
PASSENGER CAPACITY		5	5	5	5
SEATING ARRANGEMENTS INCLUDE:					
Low-Back Bucket Seats		■	■	■	■
60/40 Split Bench Seat (3-Pass.)		■	■	■	■
PASSENGER CAPACITY (lbs.)		750	750	750	750
CARGO CAPACITY (Max.) (lbs.)		245	245, 325	260	260, 305
GAWR (lbs.):					
Front	— Min.	2240	2320, 2380	2320	2380–2440, 2440
	— Max.	2240	2320, 2380	2320	2380–2440, 2440
Rear	— Min.	2190	2190, 2250	2290	2290–2330, 2330
	— Max.	2190	2190, 2250	2290	2290–2330, 2330
POWERTRAIN:					
Engine	— Application	Refer to Dealer Ordering Guide for 50 States Usage			
	— Type (Min.)	2.3L I-4	3.0L V-6	3.0L V-6	
Transmission	— Type (Min.)	Manual	Automatic	Automatic	
	— Speeds	5-Speed Overdrive	4-Speed Overdrive	4-Speed Overdrive	
Clutch	— Diameter	8.86″	—	—	
4x4 System	— Type	—		Intelligent 4WD System	
	— 4x4 Mode	—		4x4 AUTO—Splits Torque on Demand	
	— Front/Rear Torque Proportioning Device	—		Power Transfer Unit mounted to transmission transfers power to the rear axle through 2-piece driveshaft. Electromagnetic Coupling located between end of the driveshaft and Rear Axle Differential governs Front/Rear Torque Split	
BRAKES:					
Front Disc	— Type	Single Piston Pin-Slider, Bolt-on Anchor Caliper			
	— Size	10.9″ Diameter		11.9″ Diameter (V-6)	
Rear Drum	— Type	Self-Adjusting			
	— Size	9.0″ Diameter			
Rear Disc (V-6 4WD only)	— Type	Self-Adjusting			
	— Size	9.0″ Diameter		11.9″ Diameter (V-6)	
Power Assist Unit	— Type	Dual-Diaphragm			
	— Effective Dia.	8.0″			
Anti-lock System		4-Channel, 4-Wheel ABS with Electronic Brake Force Distribution			
Parking Brake (Rear Brakes)		Lever-Type, Hand-Operated, Hand Release			
ELECTRICAL:					
Alternator	— Rating	110 Amperes, 1650 Watt (6G)			
Battery	— Type	Maintenance-Free (Battery Saver System Standard)			
	— Rating	52 Amp-hr., 550 CCA	60 Amp-hr., 590 CCA	60 Amp-hr., 590 CCA	
FRAME:	— Type	Unitized Body Structure			
FUEL TANK, MIDSHIP:	— Capacity	16.5 Gal. (62L)			

2007 Escape

Seating Capacity and Standard Equipment Specifications cont'd

ESCAPE (103.2″ WB) cont'd

DRIVE:		Front-wheel Drive		Four-wheel Drive	
GVWR: (lbs.)	— Computer Selected (Not Published in Advertising)	4300 (Manual Trans.)	4360, 4500 (Automatic Trans.)	4460 (Manual Trans.)	4520, 4640 (Automatic Trans.)
STEERING:	— Type	Power, Rack-and-Pinion			
	— Ratio	17.9:1	17.9:1	17.9:1	
SUSPENSION:					
Suspension, Front	— Type	Independent, MacPherson Struts Attached to Lower Control Arms (Dual Path Upper Strut Mount with Strut and Coil Spring Mounted Separately) and Front Stabilizer Bar			
	— Spring Rating (lbs.)	2380	2380, 2440	2380	2380–2440, 2440
	— Stabilizer Bar	Standard			
Suspension, Rear	— Type	Independent, Double Lateral Link and Semi-Trailing Arms (Coil Springs Located Between Trailing Arms and Body)			
	— Spring Rating (lbs.)	2400	2400	2400	2400
TIRES:	— No./Type	Four, Steel-Belted Radial, All-Season			
	— Size	P225/75Rx15 BSW			
	— Spare Tire	T145/90Rx17 Temporary (Stowed Under Rear of Vehicle on Winch System)			
WHEELS:	— No./Type	Four, 5-Hole Disc, 5-Spoke			
	— Type	Styled Steel			
	— Size	15″ x 6.5″			
	— Spare Wheel	Steel, 17″ x 4.0″ Temporary (Stowed Under Rear of Vehicle on Winch System)			

2007 Escape
Technical Specifications

Brakes

HYDRAULIC BRAKE EQUIPMENT SPECIFICATIONS — FRONT DISC

Type	Rotor Dia. (in.) OD	Rotor Dia. (in.) ID	Brake Lining Segment	Area (sq. in.)/ Width (in.)/ Thickness (in.)	Caliper Piston Dia. (in.)	Gross Lining Area Per Axle (sq. in.)	Total Swept Area Per Axle (sq. in.)
Disc	10.94	6.26	Outboard	8.1/4.09/.50	Single 2.36	32.40	232.02
			Inboard	8.1/4.09/.50			
Disc - 4x4 XLT, Limited	11.93	6.73	Outboard	8.1/4.09/.35	Single 2.60	32.40	248.16
			Inboard	8.1/4.09/.35			

HYDRAULIC BRAKE EQUIPMENT SPECIFICATIONS — REAR DRUM

Type	Brake Size (in.)	Lining Thickness (in.) Primary	Lining Thickness (in.) Secondary	Wheel Cylinder Dia. (in.)	Gross Lining Area Per Axle (sq. in.)	Total Swept Area Per Axle (sq. in.)
Drum	9.0 x 1.65	.177	.177	0.937	59.74	93.51

HYDRAULIC BRAKE EQUIPMENT SPECIFICATIONS — REAR DISC

Type	Rotor (in.) OD	Rotor (in.) ID	Rotor (in.) Thickness	Park Brake Hat (in.) Dia.	Park Brake Hat (in.) Width	Brake Lining Segment	Area (sq. in.)/ Width (in.)/ Thickness (in.)	Caliper Piston Dia. (in.)	Gross Lining Area Per Axle (sq. in.)	Total Swept Area Per Axle (sq. in.)
Disc	11.89	8.19	0.47	7.28	1.18	Outboard	4.74/4.33/0.47	Single 1.57	18.97	218.53
						Inboard	4.74/4.33/0.47			

BRAKE MASTER CYLINDER SPECIFICATIONS

Type	Bore Dia. (in.)
Dual System, Dash Mounted	1.00

POWER BRAKES VACUUM BOOSTER SPECIFICATIONS

Make/Type	Effective Dia. (in.)	Diaphragm Type
Dash Mounted	8.00	Dual

Cooling Systems

COOLING SYSTEM SPECIFICATIONS

Engine	Cooling	Trans. Usage	Core Size (in.) Frontal Area (sq. in.)	Core Size (in.) Height	Core Size (in.) Width	Core Size (in.) Thick.	Rows of Tubes	Fins Per Inch	Cooling System Capacity (approx. qts.)	Fan Specifications Number/ Watts	Fan Specifications Blade Dia. (in.)(1)
2.3L I-4	Std.	Man.	506	18.38	27.56	1.02	41	85	—	Dual 80 Watt	12.59
2.3L I-4	Std.	Auto.	506	18.38	27.56	1.02	41	85	—	Dual 80 Watt	12.59
3.0L V-6	Std.	Auto.	506	18.46	27.56	1.02	41	85	—	Dual 320 Watt	12.59

(1) 5-blade fan on L.H. side and 6-blade fan on R.H. side.

Fuel System

FUEL SYSTEM DATA

Electronic Fuel Injection	2.3L I-4 (Duratec)	Sequential Multiport Fuel Injection
	3.0L V-6 (Duratec)	Sequential Multiport Fuel Injection

2007 Escape

Technical Specifications cont'd

Steering

STEERING SPECIFICATIONS

Engine	Tire Size	Power Steering Gear Ratio	Turning Diameter (ft.) Curb-to-Curb	Wall-to-Wall
2.3L I-4	P225/75R15	17.9:1	35.4	38.7
3.0L V-6	P235/70R16	17.9:1	36.7	40.1
2.3L I-4	T145/90R17	17.9:1	36.7	40.1
3.0L V-6	T185/60R17	17.9:1	36.7	40.1

Suspensions

SUSPENSION, FRONT

Model	Front-wheel Drive	Four-wheel Drive
Type	Independent, MacPherson Struts Attached to Lower Control Arms (Dual Path Upper Strut Mount with Strut and Coil Spring Mounted Separately) and Front Stabilizer Bar	
Capacity (lbs.)	2480	2480

SUSPENSION, REAR

Model	Front-wheel Drive	Four-wheel Drive
Type	Independent, Double Lateral Link and Semi-Trailing Arms (Coil Springs Located Between Trailing Arms and Body)	
Capacity (lbs.)	2400	2400

Tires and Wheels

TIRE SPECIFICATIONS

Size	Rim Width (in.)	Section Width (in.)	Load/ Ply Rating	Max. Inflation Pressure (psi)	Load Limits @ Max. Inflation Pressure (lbs.)	Static Loaded Radius (in.)	Revolutions Per Mile @ 45 mph
P225/75Rx15 All-Season BSW	6.5	9.06	Std.	44	1753	12.96	759
P235/70Rx16 All-Season BSW/OWL	7.0	9.09	Std.	44	1984	13.30	728
P235/70Rx16 All-Terrain OWL (Fleet only)	7.0	9.09	Std.	44	1984	13.30	728
T145/90Rx17 Temporary Mini Spare[1]	4.0	5.8	Std.	60	1653	12.62	738
T185/60Rx17 Temporary Mini Spare[2]	5.0	7.6	Std.	60	1874	11.8	793
P235/70Rx16 A/S Dissimilar Temporary Full-Size Spare [3]	7.0	9.4	Std.	44	1984	13.2	721

(1) Used with 15" Road Tire.
(2) Used with 16" Road Tire, V-6, 4x2.
(3) Used with 16" Road Tire, V-6, 4x4.

WHEEL SPECIFICATIONS

Wheel Type	Wheel Size	Inset (in.)	No. of Studs	Bolt Circle (in.)	Max. Wheel Capacity Load (lbs. @ ground)
5-Spoke Styled-Steel	15" x 6.5" J	1.77	5	4.49	1240
5-Spoke Cast Aluminum	15" x 6.5" J	1.77	5	4.49	1240
5-Spoke Cast Aluminum	16" x 7.0" J	1.77	5	4.49	1240
5-Spoke Bright Machined Aluminum	16" x 7.0" J	1.77	5	4.49	1240
Steel Spare (Temporary)[1]	17" x 4.0" T	1.77	5	4.49	1240
Steel Spare (Temporary)[2]	17" x 5.0" T	1.77	5	4.49	1240
5-Spoke Dissimilar Black Painted Aluminum Spare (Temporary)[3]	16" x 7.0" T	1.77	5	4.49	1240

(1) Used with 15" Road Wheel.
(2) Used with 16" Road Wheel, V-6, 4x2.
(3) Used with 16" Road Wheel, V-6, 4X4.

2007 Escape

Technical Specifications cont'd

Transmissions

MANUAL TRANSMISSION SPECIFICATIONS

Make/Type			Mazda (5-Speed Overdrive) (G5M)
Ratios (to 1):			
1st			3.666
2nd			2.058
3rd			1.310
4th			1.030
5th			0.837
Reverse			3.454
Lubricant Capacity (pt.)			5.74 (4.68 With 4x4)
Synchronizers			All Gears
Gears: Material			Carburized Steel
Type			Helical (Forward Gears) Spar (Reverse Gear)
Bearings:			
Mainshaft	—	Front	Single Row Taper
	—	Rear	Single Row Taper
Countershaft Gear	—	Front	Single Row Taper
	—	Rear	Single Row Taper
Reverse Idler Gear			Bushing

AUTOMATIC TRANSMISSION SPECIFICATIONS

Make/Type	Ford (4-Speed Automatic Overdrive) (CD4E)[1]
Ratios (to 1):	
1st	2.889
2nd	1.571
3rd	1.000
4th — OD	0.698
Reverse	2.310
Converter	2.072
Lubricant Capacity (pt.)	18.5 (12.3 Without Torque Converter)
Helical Gears	All
Converter Size & Type	9.25″ Lockup

(1) Includes auxiliary oil cooler.

CLUTCH SPECIFICATIONS

Engine	2.3L I-4
Actuation	Hydraulic Clutch Control
Disc — Type	Segmented with Spring Vibration Damper
Lining Material	Semi-Mold Non-Asbestos
Outside Diameter (approx. in.)	8.86
Inside Diameter (in.)	5.91
Facing Area (sq. in.)	68.4
Facing Thickness (in.)	.138
Pressure Plate — Make	Luk
Total Plate Pressure (lb.)	1102

This page left intentionally blank.

2007 Escape
Genuine Ford Accessories

Introduction

genuine (jen' yoo in) — 1) pure in breed 2) the real deal 3) authentic

*Your customers buy Ford cars, trucks and SUVs because our brand gives them value for the money, durability, high quality and innovative features that keep drivers and passengers comfortable and safe. So when it comes to adding accessories to personalize a vehicle, suggest and sell the accessories that give your customers the same benefits … **Genuine Ford Accessories**.*

***OE-Fit** — Genuine Ford Accessories are designed and tested to meet strict Ford standards for each specific vehicle.*

***Durable and Dependable** — Genuine Ford Accessories are covered by one of the strongest limited warranties in the marketplace and many are even covered under ESP PremiumCare (purchased separately).*

GENUINE ACCESSORIES

fordaccessoriesstore.com

***Fiscally Responsible** — All Genuine Ford Accessories can be financed with a vehicle purchase and for Red Carpet Leases, many can be residualized.*

Help your customers keep their vehicle genuine. And remember, only Ford dealerships can say they sell Genuine Ford Accessories.

Spotlight Accessories

Mobile-Ease™ *(Base Part No. 19G399)*

- Dial, send and receive calls through Bluetooth® wireless phones
- Hands-free operation through simple voice commands
- Integrates with vehicle's audio system and mutes radio as calls are sent/received
- Once paired, automatically links with a compatible hands-free wireless Bluetooth phone as vehicle is entered
- Visit the **bluetooth.letstalk.com** Web site for available Bluetooth phones



Chrome Step Bars *(Base Part No. 16450)*

- Stylish, tubular custom step bars in chrome finish
- Slip-resistant steps
- Easy, no-drill installation

Electrochromic HomeLink® Mirror *(Base Part No. 17700)*

- Electrochromic mirror automatically dims when glare is detected
- Wireless control feature allows activation from the vehicle — garage doors, home lighting, security systems or communication with any radio-frequency-controlled home device
- Also available with compass/temperature display or compass only

This page is about:

- Available Genuine Ford Accessories
- Contact Information

2007 Escape

Genuine Ford Accessories

The Following Genuine Ford Accessories Are Available for the 2007 Escape:

Chassis

- Hitch Assembly
- Hitch Balls
- Hitch Drawbar
- Wheel Locks

Electrical

- Electrochromic HomeLink® Interior Rearview Mirror
- Hitch Wire Harness
- Mobile-Ease™ Hands-free Communication System
- Remote Start System
- Vehicle Security System

Exterior

- Bug Shield
- Moonroof Deflector
- Rear Spoiler
- Roof Rack — Crossbars
- Side Window Deflectors
- Splash Guards
- Step Bars
- Taillamp Surrounds

Interior

- Ashcup — Coin Holder
- Ashcup — Smoker's Pack
- Cargo Area Protector
- Cargo-Logic®
- Cargo Nets
- Cargo Organizer
- Cargo Security Shade
- Floor Mats — All-weather
- Floor Mats — Premium Carpeted

Contact Information

It's easy to sell Genuine Ford Accessories when you have the right sales tools, such as catalogs and brochures. To order your catalogs, brochures and merchandising materials, visit the Dealer eStore at **FMCDealer.com**. All catalogs and brochures are available at no charge, as well as most merchandising materials.

You can also download catalogs from the Genuine Ford Accessories Web site (**www.fordaccessoriesstore.com**).

- Click on the "Downloadable Catalogs" tab at the top of the screen
- Select your desired vehicle catalog to view it in PDF format

In addition to providing customers with a Genuine Ford Accessories catalog, invite them to visit **www.fordaccessoriesstore.com** to browse available Genuine Ford Accessories online.

At the Web site, customers can use the new online Accessorizer to virtually customize any Ford vehicle:

GENUINE ACCESSORIES Ford

fordaccessoriesstore.com

- Choose their accessories and look at their creation from front, side or rear
- Print out a picture
- Create a shopping list for their dream vehicle
- Send their shopping list to their dealer or print it out and take it to their dealer with them

There's no better way to give your customers the complete Genuine Ford Accessories experience.

To learn how to better sell Genuine Ford Accessories, ask your Sales Manager or contact your local FCSD Field Representative.